# CORRECTION Open Access



# Correction: Burden and health-related quality of life of eating disorders, including Avoidant/Restrictive Food Intake Disorder (ARFID), in the Australian population

Phillipa Hay<sup>1\*</sup>, Deborah Mitchison<sup>2,3</sup>, Abraham Ernesto Lopez Collado<sup>4</sup>, David Alejandro González-Chica<sup>5</sup>, Nigel Stocks<sup>5</sup> and Stephen Touyz<sup>6</sup>

# Correction: Journal of Eating Disorders (2017) 5:21 https://doi.org/10.1186/s40337-017-0149-z

The original publication [1] of this article contained an incomplete footnote for Table 2. The footnote in the original article read, "Data reported in this table are weighted for South Australian norms, BED (Binge Eating Disorder), OSFED (Other Specified Feeding or Eating Disorder), UFED (Unspecified Feeding or Eating Disorder), ARFID (Avoidant/Restrictive Food Intake Disorder)."

The complete footnote should have been, "Data reported in this table are weighted for South Australian norms, BED (Binge Eating Disorder), OSFED (Other

The original article can be found online at https://doi.org/10.1186/s40337-017-0149-z.

\*Correspondence:

Phillipa Hay

p.hay@westernsydney.edu.au

- <sup>1</sup> Translational Health Research Institute (THRI), School of Medicine, Western Sydney University, Sydney, NSW, Australia
- <sup>2</sup> Centre for Emotional Health, Department of Psychology, Macquarie University, Sydney, Australia
- <sup>3</sup> School of Medicine, Western Sydney University, Sydney, NSW, Australia
- <sup>4</sup> Centre for Health Research, School of Medicine, Western Sydney University, Sydney, NSW, Australia
- <sup>5</sup> Discipline of General Practice, Adelaide Medical School, NHMRC Centre of Research Excellence to Reduce Inequality in Heart Disease, The University of Adelaide, Adelaide, SA, Australia
- <sup>6</sup> School of Psychology, Faculty of Science, The University of Sydney, Camperdown, NSW 2006, Australia

Specified Feeding or Eating Disorder), UFED (Unspecified Feeding or Eating Disorder), ARFID (Avoidant/Restrictive Food Intake Disorder). Please note that the OSFED prevalence estimates are not mutually exclusive categories. Thirteen people with Bulimia Nervosa also met criteria for Atypical Anorexia Nervosa."

The original article [1] has been corrected.

Published online: 13 November 2023

### Reference

Hay P, Mitchison D, Collado AEL, et al. Burden and health-related quality
of life of eating disorders, including Avoidant/Restrictive Food Intake
Disorder (ARFID), in the Australian population. J Eat Disord. 2017;5:21.
https://doi.org/10.1186/s40337-017-0149-z.

## **Publisher's Note**

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material, If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.