

POSTER PRESENTATION

Open Access

A longitudinal study of disordered eating in Australian adolescents: modelling psychosocial and individual risk factors

Emma Jarosz¹, Isabel Krug^{1*}, Primrose Letcher¹, Craig Olsson^{2,3,4,5}

From 2014 ANZAED Conference: Driven Bodies Driven Brains Fremantle, Australia. 22-23 August 2014

Objective

To test whether a sociocultural pathway model was predictive of a) disordered eating (DE) behaviour concurrently (Time 1[T1];age 12-13) and b) DE behaviour longitudinally (Time 2[T2];age 15-16). A further aim was to assess whether the risk factors included in the final model were moderated by negative emotionality.

Method

Participants included 508 adolescent girls assessed through the Australian Temperament Project (ATP). Predictor variables comprised sociocultural pressure, thin-ideal internalisation, negative comparisons and body dissatisfaction. DE was assessed through the EDI-2 subscales drive for thinness and bulimia.

Results

The model fit for the final Structural Equation Model (SEM) provided an acceptable fit, [2(28)=105.88,p<.001, RMSEA,= .07,CFI=.95, SRMR =.05]. Path analysis revealed sociocultural pressures to diet increased concurrent body dissatisfaction (=.70;p<0.05) and DE at T1 (=.56;p<.05). Internalisation of the thin-ideal and negative appearance comparisons partially mediated the effect of sociocultural pressures on body dissatisfaction (=.06, p<.05). There was however still a significant direct path between sociocultural pressure and body dissatisfaction. Prospectively, none of these risk factors predicted later adolescent DE at T2. Moderation analyses revealed that negative emotionality did not moderate the effect of any of the risk factors assessed in the SEM.

* Correspondence: isabel.krug@unimelb.edu.au ¹The University of Melbourne, Melbourne, Australia Full list of author information is available at the end of the article

Conclusions

The results highlight the importance of longitudinal and multiple risk factor research for informing the development of prevention programs for DEs.

Authors' details

¹The University of Melbourne, Melbourne, Australia. ²School of Psychology, Deakin University, Melbourne, Australia. ³Murdoch Children s Research Institute, Melbourne, Australia. ⁴The University of Melbourne (Paediatrics and Psychological Sciences), Melbourne, Australia. ⁵The Royal Children's Hospital, Melbourne, Australia.

Published: 24 November 2014

doi:10.1186/2050-2974-2-S1-P1

Cite this article as: Jarosz et al.: A longitudinal study of disordered eating in Australian adolescents: modelling psychosocial and individual risk factors. Journal of Eating Disorders 2014 2(Suppl 1):P1.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit



